

KLEN 899 Organic Descaler

Product Description

KLEN 899 is a highly effective organic deposit remover. The product does not cause corrosion cracking in stainless steel and is safe on metals such as mild steel, copper alloys, aluminium and zinc during cleaning operations.

KLEN 899 is specially formulated for stainless steel and galvanized equipment whereby use of hydrochloric acid may cause stress corrosion cracking.

Areas of Use

Use on all water treatment systems consisting of stainless steel or galvanized steel.

Special Features

- Mild acid for safe yet effective de-scaling.
- High concentration for economical use.

Directions for Use

- Dilute KLEN 899 with water in portion 1:10 or 1:20 depending on severity of organic deposit.
- Circulate solution through equipment to be cleaned for about 2 to 4 hours. Clear colour changes to greenish when acid is exhausted. However, change may be masked by coloration due to iron oxides, organic matter and copper that may be present in water.
- Carbon dioxide and hydrogen may be released during descaling process. Thus, ensure ventilation and avoid open flames.

Precautions

Corrosive liquid! A pair of suitable gloves should be worn when using product. Ingestion and eye contact is to be avoided. Wash affected areas with plenty of water.

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product Identifier: KLEN 899

Supplier: Klenco (Singapore) Pte Ltd.
Address: 18 Gul Crescent, Singapore 629527
Department: Chemical
Person in Charge: Chemist

Phone: (65) 6862 3388

Recommended use and restriction on use: use on all water treatment
systems consisting of stainless steel or galvanized steel.

Phone: (65) 6861 7575
Email: www.klenco-asia.com

Emergency contact: (65) 6862 3388

SECTION 2 - HAZARDS IDENTIFICATION

GHS classification: Acute toxicity: Oral: Category 3;

Skin corrosion: Category 1; Eye damage: Category 1

GHS label elements: Pictogram: Signal word: Danger

Hazard statements: H301: Toxic if swallowed

Precaution statements: H314: Causes skin burns & eye damage P233: Keep container tightly closed.

P280: Wear protective gloves and clothing

SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS Chemical Identification Component & Composition Chemical Formula CAS NO. EC NO. Citric Acid < 50 %</td> C6H8O 77-92-9 201-069-1 Water >50.0 % H₂O 7732-18-5 231-791-2

SECTION 4 – FIRST AID MEASURES

Inhalation: Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be

administered if available. Call a physician. Never give anything by mouth to an unconscious person.

Skin contact: Wash with large amounts of soap and water. If irritation persists, consult a physician.

Eye contact: Vasn with large amounts of soap and water. If irritation persists, consult a physician.

Flush with cool water for at least 15 minutes. Then consult a physician immediately.

Ingestion: Induce vomiting. Dilute by drinking water. Call a physician immediately.

Notes to Physicians: Treatment should be directed at preventing absorption, administering to symptoms (if they

occur), and providing supportive therapy.

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable fire-extinguishing media: Water, dry chemical, fog and foam.

Specific hazards arising from the chemical: Burning can produce carbon dioxide and/or carbon monoxide.

Special protective actions for fire fighters: Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.

SECTION 6 - ACCIDENTIAL RELEASE MEASURE

Personal precautions, protective equipment, and emergency measure: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc).

Environmental precautions: Chemical substance should not be released into the environment (water, soil).

Methods and materials for containment and cleaning up:Safely stop discharge. Contain material, as necessary, with dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water. Provide optimum ventilation. Cover spills with absorbent clay, sawdust, inert material, soda ash, slaked lime and place in closed chemical waste containers. Dispose of according to applicable local, state and federal regulations.

SECTION 7 - HANDLING AND STORAGE

Precaution for safe handling: Handle all containers carefully. Do not throw or roll on the ground to prevent damage to containers. No other special precautions are needed for this product, as it is a mixture. Follow good manufacturing and handling practices. Wash thoroughly after handling, especially before eating and drinking, Wash contaminated goggles, face-shield, and gloves. Launder contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities: This product is a corrosive liquid. Store in cool, dry, well-ventilated area at room temperature. Keep away from strong alkalis and oxidizing agents especially chlorine releasing agents. Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control parameters/ Occupational exposure limits: ACGIH - TLV: Provide suitable personal protective equipment.

 Appropriate engineering control measures:
 Normal ventilation is sufficient

 Personal Protection:
 Safety glasses / goggles may be worn if splashing is anticipated

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	
Appearance & Odour:	Clear white liquid with no distinct odour.
Solubility in water:	Complete.
Boiling Point:	104 ⁰ C
Specific Gravity:	1.20 +/- 0.01 g/cm ³
PH:	1.5 +/- 0.5
Flash Point (T.C.C.):	None to boiling Flammable Limits - Upper: Not applicable Lower: Not applicable
Vapour Pressure:	16 mm Hg @ 20 deg C
Vapour Density:	0.62 (Air = 1)
SECTION 10 - STABILITY AND REACTIVITY	
Reactivity/ In compatible r	materials: Strong Alkalis and Oxidizing materials.
Chemical stability:	Stable under normal temperature and pressure.
Possibility of hazardous re	eaction: Will not occur.
Condition to avoid:	Not applicable
	SECTION 11 – TOXICOLOGICAL INFORMATION
Acute toxicity: Oral:	Ingestion of high amount of product may be toxic.
Skin or eye irritation:	This product contains Acidic material that will cause burns and irritation to eyes and/or skin.
SECTION 12 – ECOLOGICAL INFORMATION	
	trations with a pH value of 6.0 or lower especially in fresh water may be fatal to fish and other
	organism. Can cause damage to aquatic plants and vegetation.
Persistence and degradab	
	decomposition by microorganism.
Bioaccumulative potential: It is soluble in water and does not bio-accumulate.	
SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal method: Dispose off in an approved waste facility according to local regulations. It is recommended that an alternative be selected according to the following order of preference, based upon	
	(1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable
	SECTION 14 – TRANSPORT INFORMATION
	This material is non-regulated and no special requirement is necessary.
SECTION 15 – REGULATORY INFORMATION	
International regulation:	
	oduct contains Citric Acid as an ingredient that is classified as Hazardous under EC Classification.
Risk phrases: R28	Very toxic if swallowed
R34	Causes burns
Safety phrases: S07	Keep container tightly closed
S18 S50	Handle and open container with care
550	Do not mix with oxidizing materials
SECTION 16 – OTHER INFORMATION Hazard Rating: HMIS (Hazardous Materials Information System)	
HEALTH: 1	ardous materials information system)
FLAMMABILITY: 0	
REACTIVITY: 1	

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.

0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme

110899 Page 2 of 2